


# View Pollution

Indoor air **pollution** monitor

## DOWNLOADS



## ↓ DIGITAL USER MANUAL

More and more people live in polluted cities, asthma symptoms and cases are rising and wildfire seasons are lengthening. Particulate matter (PM) is the result of many global changes, and the smaller the particle, the deeper it can get into your body. How much PM is in your home? Understand you and your family's exposure to particulate matter at home with View Pollution. All View series products are battery operated or use USB plug, wireless and WiFi-connected, works as a hub, includes a customizable display, app (iOS/Android) and online dashboard with full data and reporting.

## HIGHLIGHTS

### PROTECT YOUR HEALTH

For people living in cities, wildfire areas, or have asthma or allergy issues

### BUILD YOUR AIR QUALITY SYSTEM

When you plug in with the USB cable, View Pollution becomes a Hub, bringing other Airthings devices online.

### MEASURE WHAT MATTERS

Dedicated particulate monitoring as well as humidity and temperature

### WIRELESS

View your data anytime, anywhere, with this wireless and WiFi connected device with up to 2 year battery lifetime

### APP / DASHBOARD

App and online dashboard with graphs, notifications and insights

### EASY TO USE

Customizable display or wave in front to view sensor levels, with simple color coding

## PRODUCT FEATURES

### SENSORS

Particulate matter (PM<sub>1</sub>\* & PM<sub>2.5</sub>), Humidity, Temperature

### DISPLAY

2.9" 296128 pixels ePaper

Visual indicator: color coded red/yellow/green glow indicator

### LONG BATTERY LIFE

Up to 2 years (depends on sensor interval and WiFi router)

Optional operation on USB (runs from batteries if removed)

### MOUNTING

Supports wall mounting or placement on flat surface

Optimum product placement is breathing height (110 - 170cm above floor). Mounting height should not exceed 200cm / 6.5ft

Double-sided tape for wall mount included in package

Alternatively use 3 screws: countersunk M4 (not included)

### APP, DASHBOARD AND CONNECTIVITY

Free mobile app for iOS and Android with notifications

Web dashboard with sensor data

802.11b/g/n (2.4GHz) Wi-Fi & Bluetooth Low Energy. Airthings SmartLink when operating as a hub

Wireless connection over WiFi

SmartLink when used as a Hub for other Airthings devices

Bluetooth for on boarding and daily use configuration

Hub functionality is enabled when connected with Wi-Fi and USB cable is plugged into device

## ADDITIONAL SPECIFICATIONS

### RECOMMENDED OPERATING CONDITIONS

Temperature 4 to 40°C / 39 to 104°F, Humidity 0% to 85% (non condensing). Prolonged exposure to very dry or humid conditions may affect the visual appearance of the display.

### PHYSICAL SPECIFICATIONS

Weight: 336g / 11.85oz (with batteries, without cable)

Dimensions: 17 cm / 6.7in (length) x 9 cm / 3.5in (height) x 3.3 cm / 1.3in (width)

Power: 6 AA batteries or USB

\* Only visible in the Airthings Dashboard



PM



HUMIDITY



TEMP

## PACKAGE CONTENT

Air Quality Monitor  
6 AA batteries  
USB cable  
Quick Start and Regulatory Booklet  
Double-sided tape

## REQUIREMENTS

One of the 3 latest major versions of iOS or Android, supporting Bluetooth 4.2 or later

## PACKAGE

WEIGHT: 490 g / 17.3 oz  
DIMENSION: 200 x 115 x 60 mm /  
7.9 x 4.5 x 2.4 in

## PRODUCT CODES

EAN: 709003110 980 6  
UPC: 854232008 24 8  
SKU: 980  
MODEL: 2980  
Device serial number: 2980xxxxxx

## INTEGRATIONS



## SENSOR SPECIFICATIONS

### TEMPERATURE / HUMIDITY

Technology: solid state sensor  
Sensor interval 5 min  
(2.5 min with USB cable connected)  
Temperature Accuracy:  $\pm 0.5^{\circ}\text{C}$  /  $\pm 1^{\circ}\text{F}$   
Humidity Accuracy:  $\pm 3\%$

### PARTICULATE MATTER

Technology: laser scattering based optical particle counter  
Measurement interval is configurable to 10 min or 60 min  
(2.5 min with USB cable connected)  
Particle size detection range: 300 nm to 10  $\mu\text{m}$   
Measurement Range ( $\text{PM}_{2.5}$ ): 0~500  $\mu\text{g}/\text{m}^3$

Measurement Accuracy ( $\text{PM}_{2.5}$ ): below 150  $\mu\text{g}/\text{m}^3$ :  $\pm (5 \mu\text{g}/\text{m}^3 + 15\%)$ , above 150  $\mu\text{g}/\text{m}^3$ :  $\pm (5 \mu\text{g}/\text{m}^3 + 20\%)$   
Calibrated with a GRIMM reference instrument using cigarette smoke source  
Classified as Class 1 Laser per IEC60825-1 Ed. 3. This device complies with 21 CFR 1040.10 and 1040.11, except for conformance with IEC 60825-1 Ed. 3., as described in Laser Notice No. 56, dated May 8, 2019. Caution: These devices contain one or more lasers. Usage other than as described in the user guide, repair, or disassembly may cause damage, which could result in hazardous exposure to infrared laser emissions that are not visible. This device should be serviced by Airthings or an authorized service provider.

### SENSOR DATA UPDATE INTERVAL

Sensor data in app (iOS/Android) and online dashboard update interval depends on configuration:  
WiFi: same as PM measurement interval (10 min or 60 min when battery operated, 2.5 min with USB cable connected)

## RADIO SPECIFICATIONS

### BLUETOOTH LOW ENERGY

Output power: <5 mW  
Frequency Range (MHz): 2400.0 - 2483.5

### AIRTHINGS SMARTLINK

Output power: <25 mW  
Frequency range (MHz):  
in Europe 868 - 870  
in North America 902-928

in Singapore 920-923  
in Hong Kong 920-923  
in Australia 923-928  
in India 865-870

### 802.11 b/g/n (2.4 GHz) WiFi

Output power: <50 mW  
Frequency Range (MHz): 2400.0 - 2483.5

### WANT TO KNOW MORE?

Detailed information and FAQs on our sensors can be found [here](#).



PM



HUMIDITY



TEMP